

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
2 Bank Lane	0	20,294	0	0
4 Bank Lane	0	14,033	0	0
4 Market Street	0	116,191	0	0
6 North Ness	0	6,538	18,042	0
8 Hillhead	0	0	0	0
11 Hill Lane	0	22,440	0	0
20 Commercial Road	0	6,357	0	0
64 St Olaf Street	0	7,728	0	0
91/93 St Olaf Street	0	119,628	0	0
92 St Olaf Street	0	94,386	0	0
County Offices	0	10,292	0	0
Fort Road	0	96,743	0	0
Grantfield	0	52,334	136,942	0
Hayfield House	0	220,201	35,538	0
Hillhead/Hill Lane	0	45,450	0	0
ICT Garthspool	0	341,842	0	0
ICT King Harald Street	0	89,510	0	0
Montfield Offices	0	58,965	85,256	0
Quendale House	0	104,875	0	0
SBS Block 2	0	34,928	42,868	0
SBS Block 3	0	56,744	41,321	0
Town Hall	160,075	102,279	0	158,474

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
20,091	0	96	0	209	0
13,893	0	72	0	193	0
115,029	0	528	0	218	0
6,473	17,862	510	0	13	35
0	0	1	0	0	0
22,216	0	58	0	383	0
6,293	0	1	0	6,293	0
7,651	0	162	0	47	0
118,432	0	410	0	289	0
93,442	0	364	0	257	0
10,189	0	108	0	94	0
95,776	0	414	0	231	0
51,811	135,573	889	0	58	153
217,999	35,183	1,432	0	152	25
44,996	0	275	0	164	0
338,424	0	482	0	702	0
88,615	0	1	0	88,615	0
58,375	84,403	798	0	73	106
103,826	0	383	0	271	0
34,579	42,439	322	0	107	132
56,177	40,908	776	0	72	53
101,256	0	941	168	108	0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
AHS	4,156,787	1,175,785	0	4,115,219
Aith JHS	440,805	144,433	0	436,397
Baltasound JHS	419,053	203,827	0	414,862
Bells Brae Primary	0	257,994	874,804	0
Brae	1,058,561	237,100	0	1,047,975
Bressay Primary	0	120,315	0	0
Burravoe Primary	48,181	13,566	0	47,700
Cullivoe Primary	0	56,358	0	0
Cunningsburgh Primary	0	165,083	0	0
Dunrossness Primary	369,845	176,928	0	366,147
Fair Isle Primary	38,691		0	38,304
Fetlar Primary	51,641	9,853	0	51,125
Foula Primary	0		0	0
Hamnavoe Primary	96,564	39,496	0	95,598
Happyhansel Primary	120,316	84,603	0	119,113
Lunnasting Primary	135,276	34,922	0	133,923
Mid Yell JHS	261,675	124,239	0	259,058
Mossbank Primary	294,706	66,116	0	291,759
Nesting Primary	64,072	29,182	0	63,432
North Roe Primary	0	76,607	0	0
Ollaberry Primary	75,785	27,378	0	75,027
Olnafirth Primary	0	90,943	0	0
Papa Stour Primary	0	16,442	0	0
Quarff Primary	0	9,728	0	0
Sandness Primary	0	52,542	0	0
Sandwick JHS	829,049	294,300	0	820,758
Scalloway JHS	780,286	262,113	0	772,483
Skeld Primary	115,713	23,698	0	114,556
Skerries School	0	65,203	0	0
Sound Primary	0	132,166	414,954	0
Tingwall Primary	115,089	38,726	0	113,938
Urafirth Primary	114,973	35,142	0	113,823
Uyeasound Primary	33,750	12,835	0	33,413
Whalsay Junior High School	243,573	79,302	0	241,137
Whalsay Primary	256,512	115,103	0	253,947
Whitiness Primary	186,197	60,901	0	184,335

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
1,164,027	0	16,483	250	71	0
142,989	0	2,482	176	58	0
201,789	0	2,580	161	78	0
255,414	866,056	3,900	0	65	222
234,729	0	3,118	336	75	0
119,112	0	549	0	217	0
13,430	0	343	139	39	0
55,794	0	268	0	208	0
163,432	0	559	0	292	0
175,159	0	1,712	214	102	0
0	0	153	250	0	0
9,754	0	270	189	36	0
0	0	295	0	0	0
39,101	0	879	109	44	0
83,757	0	608	196	138	0
34,573	0	264	507	131	0
122,997	0	1,753	148	70	0
65,455	0	1,415	206	46	0
28,890	0	539	118	54	0
75,841	0	343	0	221	0
27,104	0	560	134	48	0
90,034	0	519	0	173	0
16,278	0	105	0	155	0
9,631	0	225	0	43	0
52,017	0	205	0	254	0
291,357	0	4,427	185	66	0
259,492	0	4,193	184	62	0
23,461	0	614	187	38	0
64,551	0	352	0	183	0
130,844	410,804	1,822	0	72	225
38,339	0	685	166	56	0
34,791	0	488	233	71	0
12,707	0	161	208	79	0
78,509	0	1,298	186	60	0
113,952	0	661	384	172	0
60,292	0	1,299	142	46	0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
Annsbrae House	0	45,548	0	0
Craigielea	0	130,028	0	0
E T House / Taing House	0	315,143	891,370	0
Eric Gray Centre	0	253,918	0	0
Fernlea care Centre	318,659	115,470	0	315,472
Freefield Centre	11,564	22,205	0	11,448
Isleshaven Care Centre	258,014	90,425	0	255,434
King Eric House	0	62,087	0	0
Laburnum	0	23,232	61,716	0
Leog	140,809	31,168	0	139,401
Nordalea Care Centre	342,009	112,126	0	338,589
Northhaven Care Centre	471,921	122,426	0	467,202
Overtonlea Care Centre	408,219	147,817	0	404,137
Viewforth Care Home	395,639	164,745	0	391,683
Wastview Care Centre	407,954	110,611	0	403,875

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
45,093	0	184	0	245	0
128,728	0	317	0	406	0
311,992	882,456	1,219	0	256	724
251,379	0	731	0	344	0
114,315	0	752	420	152	0
21,983	0	191	60	115	0
89,521	0	390	655	230	0
61,466	0	1,059	0	58	0
23,000	61,099	194	0	119	315
30,856	0	390	357	79	0
111,005	0	358	946	310	0
121,202	0	602	776	201	0
146,339	0	676	598	216	0
163,098	0	970	404	168	0
109,505	0	616	656	178	0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
Islesburgh (Community Centre)		220,406	342,084	0
Islesburgh (House)		117,014	269,904	0
Islesburgh (Squash Club)		19,349		0
Library (St Ringans)		87,437	140,010	0
Old Library Centre (Lower Hillhe	232,950	47,010		230,621
Museum (Store)		35,993		0
Pavilion (Gilbertson)		70,053		0
Pavilion (Seafield)		16,366		0
Pavilion (St Olaf St)		19,959		0
4 Havragord		18,125		0

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
218,202	338,663	1	0	218,202	338,663
115,844	267,205	1	0	115,844	267,205
19,156	0	1	0	19,156	0
86,563	138,610	1	0	86,563	138,610
46,540	0	877	263	53	0
35,633	0	1	0	35,633	0
69,352	0	1	0	69,352	0
16,202	0	1	0	16,202	0
19,759	0	1	0	19,759	0
17,944	0	87	0	206	0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
Scalloway Harbour Office		53,757		0
Port Admin	598,109	1,059,797		592,128

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
53,219	0	1	0	53,219	0
1,049,199	0	1	592,128	1,049,199	0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
Staneyhill Management Block	0	104,202	0	0

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
103,160	0	1	0	103,160	0

Premises	Consumption by Fuel Type (kWh)		
	Oil	Electricity	District Heating
Airport (Tingwall)	0	26,296	0
Airport (Unst)	0	44,509	0
Incinerator (Rova Head)	0	203,945	0
Incinerator (Waste Handling Facility)	0		0
Incinerator (Energy Recovery Plant)		2,325,485	
Gremista	474,397	442,665	0

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still

Target setting methods may need to be refined based on ongoing review and feedback.

2007/08 Target Consumption (kWh)			Gross Internal Area (m ²)	Target Performance Indicators	
Oil	Electricity	District Heating		Oil	Electricity
0	26,033	0	1	0	26,033
0	44,064	0	1	0	44,064
0	201,906	0	1	0	201,906
0	0	0	1	0	0
0	2,302,230	0	1	0	2,302,230
469,653	438,238	0	3,264	144	134

I apply.

rs (kWh/m²)
District Heating
0
0
0
0
0
0

Premises	Consumption by Fuel Type (kWh)			2007/08 T
	Oil	Electricity	District Heating	Oil
Train Shetland	0	24,793	79,767	0
College (Gremista)	0	457,850	0	0

Notes:

Target consumption is based on a 1% saving across all areas of consumption.

Consumption figures will be updated in April (to 2006/07 figures) - 1% reduction target will still apply.

Target setting methods may need to be refined based on ongoing review and feedback.

Target Consumption (kWh)		Gross Internal Area (m ²)	Target Performance Indicators (kWh/m ²)		
Electricity	District Heating		Oil	Electricity	District Heating
24,545	78,969	564	0	44	140
453,272	0	1	0	453,272	0